




AlchimiaTM

COLLECTION

1198x2398mm | 1198x1798mm | 1198x1198mm | 598x1198mm, 9mm
198x198mm | 58x250mm, 8.5mm

Experience Harmonious
Symphony



Introducing

Alchimia Collection

Homogeneous and Refined Artistry.

This collection celebrates the art of transformation, where raw beauty meets masterful craftsmanship, resulting in a series that epitomize elegance, versatility, and timelessness. Inspired by the ancient alchemists who sought to transform base coloured clay powder into precious ones, the Alchimia Collection embodies the magic of metamorphosis.

The name "Alchimia" signifies the collection's essence – a blend of raw potential and refined artistry. Utilizing advanced techniques and innovative technologies, we have created homogeneous tiles that offer unmatched depth and durability by creatively blending accent coloured clay.



Surfaces CW

Encounter Extraordinary with exceptional surfaces

The collection offers a range of surfaces to suit various design preferences and practical needs. The Polished surface provides a sleek, reflective finish that brings a touch of modern sophistication to any space. For those seeking elegance and durability, the exclusive Posh+ offers enhanced resilience, making it perfect for high-traffic areas.

The Raw Texture surface introduces a rugged charm for a more tactile and organic feel, adding an earthy quality to your interiors. Each surface is designed to meet diverse needs, ensuring that style and utility come together seamlessly.



Polished

Posh+

Raw Texture
Posh+


R9
surface

R10
surface

Posh+ Surface



The iconic Posh surface from the house of Simpolo achieves a new feat with Posh+. The infamous Posh surface, which is a perfect fit for any private space, gets its successor which is an ideal fit for public space applications.



10x Abrasive Strength

Posh+ surface is created with a unique surface abrasion resistance that is 10 times over the PEI-5 category, which is considered the highest standard for public place application.



R-9 Surface

POSH+ surface provides better slip resistance than conventional matt surfaces.



Stable & non-fading colour

Chemicals, UV rays & more don't affect the colour of the surface.




Scratch resistance

Resists scratches & scuffs efficiently caused due to daily use.



Easy to clean

Requires no extra effort to clean & routine cleaning is enough.



iM+ Technology

iM⁺



iM⁺ Technology, Towards A Better You

We have never been as precautious as we are now about our health and hygiene. We are battling every day to increase our immunity and keep ourselves fit. 'iM+' derives from the word 'immunity'. 'iM+ Technology' is our most exciting innovation yet. It helps the product surface repel any liquid. It does not allow unwanted and harmful living organisms to stay and/or grow. It requires the lowest maintenance efforts. We have and will always put in our efforts to keep your place better and safer.

Anti-Bacterial



Anti-Viral



Anti-microbial hygienic surface

The surface prevents microbial growth for enhanced hygiene.



Ultra-high heat resistance

Resists heat efficiently for use in kitchen & dining spaces.



Superior stain resistance

Resists stains & stays new-looking for longer.



Extensive possibilities

Versatile & extensive format open doors to varied applications.



Resists UV rays

UV rays don't alter or damage the colour & form of the surfaces.






Colours 6

Leaf
Pearl
Graphite
Peach
Hazel
Shell

Sizes 6

Create space with ideal sizes

The Alchimia Collection offers six sizes, from intimate small to expansive large, providing the perfect solution for any space. Whether designing a cozy nook or a grand open area, these diverse dimensions ensure a seamless fit and exceptional adaptability to your unique vision.



Alchimia Collection

Colours

Sizes
1198x2398mm, 1198x1798mm, 1198x1198mm, 598x1198mm

Surfaces
Polished, Posh+, Raw Texture

Thickness
9mm





	Alchimia Peach	Alchimia Hazel	Alchimia Shell
Polished			
Posh+			
Raw Texture			


Alchimia Collection

Application Area

Emporium



Scan for Virtual
360°



Wall 1. **Alchimia Shell**
Polished / 1198x2398mm

Wall 2. **Speck Dusk**
Glossy / 58x250mm

Floor. **Alchimia Peach**
Posh+ / 1198x1798mm



Alchimia Collection

Wall. **Speck Dusk** / Glossy / 58x250mm

Floor. **Alchimia Peach** / Posh+ / 1198x1798mm



Application Area

Bathroom

Alchimia Collection

Scan for Virtual

360°



Wall 1. **Alchimia Hazel**
Raw Texture / 1198x2398mm

Wall 2. **Speck Noon**
Glossy / 58x250mm

Wall 3. **Alchimia Hazel**
Polished / 598x1198mm

Wall 4. **Alchimia Shell**
Raw Texture / 598x1198mm

Floor. **Alchimia Hazel**
Posh+ / 1198x1198mm



Alchimia Collection



Wall 1. **Alchimia Hazel** / Raw Texture / 1198x2398mm

Wall 2. **Speck Noon** / Glossy / 58x250mm

Floor. **Alchimia Hazel** / Posh+ / 1198x1198mm

Wall 1. **Alchimia Shell**
Polished / 1198x2398mm

Wall 2. **Alchimia Peach**
Raw Texture / 1198x2398mm

Floor. **Alchimia Shell**
Posh+ / 1198x1798mm

Scan for Virtual
360°



Alchimia Collection


Application Area

Living Room





Alchimia Collection



Wall. **Alchimia Shell** / Polished / 1198x2398mm

Floor. **Alchimia Shell** / Posh+ / 1198x1798mm



Warm Series

Alchimia Peach

Speck Dusk



Glossy

Random-27


Speck Noon



Glossy

Random-27

Peach






Polished



Posh+



Raw Texture



1198x
2398mm
9mm



1198x
1798mm
9mm



1198x
1198mm
9mm



598x
1198mm
9mm



58x
250mm
8.5mm



Warm Series

Alchimia Hazel

Speck Dusk



Glossy

Random-27

Speck Noon



Glossy

Random-27

Hazel






Polished



Posh+



Raw Texture



1198x
2398mm
9mm



1198x
1798mm
9mm



1198x
1198mm
9mm



598x
1198mm
9mm



58x
250mm
8.5mm



Warm Series

Alchimia Shell

Speck Dusk



Glossy

Random-27

Speck Noon




Glossy

Random-27

Shell






Polished



Posh+



Raw Texture



1198x
2398mm
9mm



1198x
1798mm
9mm



1198x
1198mm
9mm



598x
1198mm
9mm



58x
250mm
8.5mm

Alchimia Collection



Scan for Virtual
360°



Floor 1. **Ritual Hazel**
SCS Matt / 198x198mm

Floor 2. **Alchimia Shell**
Posh+ / 1198x1798mm

Warm Series

Ritual Hazel

Carpet



SCS Matt



Corner



Border




Base



198x
198mm

8.5mm



	Alchimia Pearl	Alchimia Graphite	Alchimia Leaf
Polished			
Posh+			
Raw Texture			



Scan for Virtual
360°



Wall. **Alchimia Graphite**
Polished / 1198x2398mm

Floor 1. **Alchimia Graphite**
Posh+ / 1198x1198mm

Floor 2. **Alchimia Pearl**
Posh+ / 1198x1198mm



Alchimia Collection

Wall. **Alchimia Graphite** / Polished / 1198x2398mm

Floor 1. **Alchimia Graphite** / Posh+ / 1198x1198mm

Floor 2. **Alchimia Pearl** / Posh+ / 1198x1198mm



Alchimia Collection

Application Area

Spa

Wall 1. **Alchimia Graphite** / Polished / 1198x2398mm
Wall 2. **Alchimia Graphite** / Raw Texture/ 1198x2398mm
Wall 3. **Speck Night** / Glossy / 58x250mm
Floor. **Alchimia Graphite** / Posh+ / 1198x1798mm

Scan for Virtual
360°





Wall 1. **Alchimia Graphite** / Polished / 1198x2398mm

Wall 2. **Alchimia Graphite** / Raw Texture/ 1198x2398mm

Wall 3. **Speck Night** / Glossy / 58x250mm

Floor. **Alchimia Graphite** / Posh+ / 1198x1798mm



Alchimia Collection



Application Area

Drawing Room

Shelf. **Alchimia Graphite**
Polished / 1198x2398mm


Wall 1. **Alchimia Pearl**
Raw Texture / 1198x2398mm

Wall 2. **Alchimia Leaf**
Polished / 1198x2398mm
Posh+ / 1198x2398mm
Raw Texture / 1198x2398mm

Floor 1. **Alchimia Leaf**
Polished / 1198x1198mm

Floor 2. **Tradition Leaf**
SCS Matt / 198x198mm

Scan for Virtual
360°




Alchimia Collection



Shelf. **Alchimia Graphite** / Polished / 1198x2398mm

Wall. **Alchimia Leaf** / Polished / 1198x2398mm
Posh+ / 1198x2398mm / Raw Texture / 1198x2398mm

Floor. **Alchimia Leaf** / Polished / 1198x1198mm






Cold Series

Alchimia Pearl

Speck Night



Glossy

Random-27


Speck Monsoon




Glossy

Random-27


Pearl






Polished



Posh+



Raw Texture



1198x
2398mm
9mm



1198x
1798mm
9mm



1198x
1198mm
9mm



598x
1198mm
9mm




58x
250mm
8.5mm



Cold Series

Alchimia Graphite

Speck Night



Glossy

Random-27

Speck Monsoon




Glossy

Random-27

Graphite






Polished



Posh+



Raw Texture



1198x
2398mm
9mm



1198x
1798mm
9mm




1198x
1198mm
9mm



598x
1198mm
9mm




58x
250mm
8.5mm



Cold Series

Alchimia Leaf

Speck Night



Glossy

Random-27

Speck Monsoon



Glossy

Random-27

Leaf






Polished



Posh+



Raw Texture



1198x
2398mm
9mm



1198x
1798mm
9mm



1198x
1198mm
9mm



598x
1198mm
9mm



58x
250mm
8.5mm



Alchimia Collection

Self. **Alchimia Graphite** / Polished / 1198x2398mm
 Floor 1. **Alchimia Leaf** / Polished / 1198x1198mm
 Floor 2. **Tradition Leaf** / SCS Matt / 198x198mm


Scan for Virtual
360°



Cold Series

Tradition Leaf


Carpet



SCS Matt



Corner



Border



Base



198x
198mm
8.5mm

Technical Specifications For Alchemia

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF SIMPOLO
Regulatory Properties				
*Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	ISO 10545-2/ IS 13630-1	±1.0 mm (±0.20 %)
*Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	ISO 10545-2/ IS 13630-1	±0.5 mm (±5.0 %)
*Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	ISO 10545-2/ IS 13630-1	±0.8 mm(±0.20 %)
*Rectangularity	±0.30 % (±1.50 mm)	±0.10%	ISO 10545-2/ IS 13630-1	±1.2 mm(±0.20 %)
*Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±1.8 mm(±0.20 %)
*Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±1.8 mm(±0.20 %)
*Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±1.8 mm(±0.20 %)
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1	>95% defects free
Small Colour Difference (For Plain Colour)	ΔE <1.00	N.A.	ISO 10545-16	ΔE <0.80
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	≥ 90
Structural Properties				
Water Absorption	Ev<0.50 % Individual Max:0.6%	Ev<0.08 % Individual Max:0.1%	ISO 10545-3/ IS 13630-2	Ev<0.08 % Individual Max:0.1%
Bulk Density	As per Manufacturer	Min 2.20 g/cc	ISO 10545-3/ IS 13630-2	> 2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm²	Min. 35.0 N/mm²	ISO 10545-4/ IS 13630-6	Min. 40.0 N/mm²
Breaking Strength Thickness <7.5 mm (5.5 mm)	Min. 35.0 N/mm²	ISO 10545-4	ISO 10545-4/ IS 13630-6	Min 1000.0 N
Breaking Strength Thickness >7.5 mm (9 mm)	Min 1000.0 N	ISO 10545-4	ISO 10545-4/ IS 13630-6	Min 2000.0 N
Breaking Strength Thickness >7.5 mm (15 mm)	Min 1300.0 N	ISO 10545-4	ISO 10545-4/ IS 13630-6	Min 6000.0 N
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/ IS 13630-13	Posh+:Min 6 ,Mat:Min 6 & Polished: Min 4
Surface Abrasion Resistance (PEI) #	As per Manufacturer	Min. Class II	ISO 10545-7/ IS 13630-11	Posh+:Class V+
Deep Abrasion Resistance #	Max. 175 mm³	Max. 140 mm³	ISO 10545-6/ IS 13630-12	Max 132 mm³
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	ISO 10545-10/ IS 13630-3	Max 0.02 mm/m
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 ⁻⁵	ISO 10545-8/ IS 13630-4	Max. 6.0 x 10 ⁻⁶
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5	Min 10 Cycle
Impact Resistance(COR) #	Min. 0.55	Min 0.55	ISO 10545-5/ IS 13630-14	Min 0.55
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/ IS 13630-10	Frost Proof
Chemical Properties				
Resistance to Staining Unglazed	As per Manufacturer	Min Class 2	ISO 10545-14/ IS 13630-8	Min. Class 4/Min. Class 2
Resistance to Household Chemicals & Swimming Pool Salts Unglazed	Min Class UB	As per Manufacturer	ISO 10545-13/ IS 13630-7	Min Class UB/ Min Class A
Resistance to Low Concentrate Acid and Alkalis Unglazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-7	Min Class ULB***/ Min Class A***
Resistance to High Concentrate Acid and Alkalis Unglazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-7	Min Class UHB***/ Min Class A***
Safety Properties				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	ASTM E-303	Posh+: >0.3, Mat: > 0.3 & Polished: <0.2
Slip Resistance -Satin/ Matt (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	DIN 51130	Posh+: R9, Mat: R9 & Polished: NA
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb &Cd

* Whichever is Lower
** With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of traffic)
*** Except Hydrofluoric Acid & it's compound
Tiles Intended for use on floor.Posh+: PEI V+ (1,20,000 Rev)
For Floor tiles,as per customer requirement

Packing Detail

PRODUCT	ACTUAL SIZES	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
Alchemia Collection	1198x2398mm	9mm	1 pc.	2.87 m²	30.92 ft²
	1198x1798mm	9mm	2 pcs.	4.31 m²	46.37 ft²
	1198x1198mm	9mm	2 pcs.	2.87 m²	30.90 ft²
	598x1198mm	9mm	2 pcs.	1.43 m²	15.42 ft²

Technical Specifications For Alchemia Decor

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF SIMPOLO
*Un-Rectified (Which is Lower)				
Regulatory Properties				
Deviation in Length and Width	±0.60 % (±2.0 mm)	±0.40 %	ISO 10545-2/ IS 13630-1	±0.40 %
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	ISO 10545-2/ IS 13630-1	±5.0 %
Straightness in Side	±0.50 % (± 1.5 mm)	±0.30 %	ISO 10545-2/ IS 13630-1	±0.30 %
Rectangularity	±0.50 % (±2.0 mm)	±0.30 %	ISO 10545-2/ IS 13630-1	±0.30 %
Surface Flatness Central Curvature	±0.50 % (± 2.0 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	± 0.40 %
Surface Flatness Edge Curvature	±0.50 % (± 2.0 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	± 0.40 %
Surface Flatness Warpage	±0.50 % (± 2.0 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	± 0.40 %
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1	>95% defects free
Small Color Difference (For Plain Colour)	ΔE <1.0	N.A.	ISO 10545-16	ΔE <0.30
Structural Properties				
Water Absorption	Ev<0.50 % Individual Max:0.6%	Ev<0.08 % Individual Max:0.1%	ISO 10545-3/ IS 13630-2	Ev<0.08 % Individual Max:0.1%
Bulk Density	As per Manufacturer	Min 2.20 gm/cc	ISO 10545-3/ IS 13630-2	> 2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture	Min 35.0 N/mm2, Invidual 32 N/mm2 Min	Average 35.0 N/mm2, Invidual 32 N/mm2 Min	ISO 10545-4/ IS 13630-6	Min. 40.0 N/mrn2
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/ IS 13630-6	Min 1500.0 N
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/ IS 13630-13	Min. 5
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/ IS 13630-11	Min Class II
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max. 0.02mm/m	ISO 10545-10/ IS 13630-3	Nil
Thermal Expansion(COE) at 100 °C	As per Manufacturer	Max. 6x10 ⁻⁶ k	ISO 10545-8/ IS 13630-4	Max. 6.0 x 10 ⁻⁶
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5	Min 10 Cycle
Impact Resistance(COR) #	As per Manufacturer	Min. 0.55	ISO 10545-5/ IS 13630-14	Min 0.55
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/ IS 13630-10	Frost Proof
Crazing Resistance at 7.5 bar	As per Manufacturer	4 Cycle	ISO 10545-11/ IS 13630-9	6 cycle
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min. Class 1	ISO-10545-14/ IS 13630-7	Min. Class 4/ Min. Class 1
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	ISO-10545-13/ IS 13630-8	Min Class GB/Min Class AA
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-8	Min Class GLB***/ Min Class A***
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-8	Min Class GHB***/ Min Class B***
Safety Properties				
Skid Resistance -(DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	BS 7976-2	Satin / Mat ≥P1
Lead and Cadmium release	As per Manufacturer	NA	ISO-10545-15	Does not yield Pb &Cd

*Whichever is lower,
***Except Hydrofluoric Acid and its compound
#Tiles intended for use on floor
##For Floor Tiles,as per customer requirement

Packing Detail

PRODUCT	ACTUAL SIZES	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
Alchemia Decor Collection	198x198mm (Corner)	8.5mm	8 pcs.	0.31 m²	3.38 ft²
	198x198mm (Border)	8.5mm	18 pcs.	0.71 m²	7.60 ft²
	198x198mm (Base)	8.5mm	18 pcs.	0.71 m²	7.60 ft²
	58x250mm	8.5mm	25 pcs.	0.36 m²	3.90 ft²

Simpolo Vitrified Private Limited

Old Ghuntu Road, Morbi – 363 642 Gujarat, INDIA
Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai – 400 053.
Tele.: +91 22401 67131, E-mail: mumbai@simpolo.net

AHMEDABAD

1st Floor, 103, Sumel – 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad – 380 054.
Mob.: +91 79400 37222, +91 79400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H – 139, First Floor, Sector – 63, Noida – 201 301, Uttar Pradesh.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin – 682 032.
Mob.: +91 93493 39938, Fax: +91 48440 37118, E-mail: cochin@simpolo.net

KOLKATA

5th Floor, DD-27, Salt Lake City, Sector 1, Near Salt Lake City Center, Kolkata – 700 064. (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

CHENNAI

5th Floor, Prashanth Gold Tower, No. 39, North Usman Road, T. Nagar, Chennai – 600 017.
Mob.: +91 9925251848, E-mail: chennai@simpolo.net

LUCKNOW

Aditya Tower, 1st Floor, CP-8 Vijyant Khand, Gomati Nagar, Lucknow – 226010.
Mob.: +91 97252 79749, E-mail: lucknow@simpolo.net

BENGALURU

2th Floor, 15th Cross Road, Outer Ring Rd, 5th Phase, J. P. Nagar, Bengaluru, Karnataka – 560078.
Mob.: +91 9909418222, E-mail: Bengaluru@simpolo.net