


Venitto COLLECTION

800x3000mm, 15mm | 1200x1800mm, 15mm

Introducing


Venitto Collection




Timeless and Exceptional, Authenticity and Beauty.

The Venetian terrazzo has been celebrated for centuries as one of Italy's unique craft creations, adorning monuments in Italy's Veneto region and around the world with exceptional authenticity and beauty. Inspired by the same, the Venitto Collection's designs effortlessly achieve the timeless terrazzo effect without the hassle of lengthy installation.

This one-of-a-kind collection is created with material consistency and incorporates blended colored chips throughout instead of separate layers of glazes and prints. The amalgamation of colorful chips within the solid matter makes this homogeneous collection distinct and suitable for public space applications.




Rediscovering The New Timeless



Surfaces to tailor your spaces to perfection

The Venitto Collection presents a harmonious blend of versatility and style with its distinctive Polished and Posh+surfaces. Each surface is meticulously crafted to cater to different design preferences and functional needs—Polished is the timeless, luxurious surface, and Posh+ is the new generation and a step ahead in Posh surface innovation.

Posh+ is a breakthrough in surface innovation from the house of Simpolo. The successor to the highly successful and sought-after Posh surface, Posh+ is expertly curated for public spaces, offering unparalleled performance paired with unmatched beauty. The surface is designed to meet the demands of heavy traffic areas and resist the modern-day adversities of shared spaces.



As we are inspired by the authentic aesthetics, the contrasting thin lines between homogenous colored flakes are there to increase the Venitto designs' beauty.





The iconic Posh surface from the house of Simpolo achieves a new feat with Posh+. The infamous Posh surface, which is a perfect fit for any private space, gets its successor which is an ideal fit for public space applications.



Posh+ surface is created with a unique surface abrasion resistance that is 10 times over the PEI-5 category, which is considered the highest standard for public place application.



R-9 Surface

POSH+ surface provides better slip resistance than conventional matt surfaces.



Stable & non-fading colour

Chemicals, UV rays & more don't affect the colour of the surface.




Scratch resistance

Resists scratches & scuffs efficiently caused due to daily use.



Easy to clean

Requires no extra effort to clean & routine cleaning is enough.



$\mathrm{i}\mathrm{M}^{+}_{\mathrm{B}}$

iM+ Technology, Towards A Better You

We have never been as precautious as we are now about our health and hygiene. We are battling every day to increase our immunity and keep ourselves fit. 'iM+' derives from the word 'immunity'. 'IM+ Technology' is our most exciting innovation yet. It helps the product surface repel any liquid. It does not allow unwanted and harmful living organisms to stay and/or grow. It requires the lowest maintenance efforts. We have and will always put in our efforts to keep your place better and safer.

Anti-Bacterial



Anti-Viral





Anti-microbial hygienic surface

The surface prevents microbial growth for enhanced hygiene.



Ultra-high heat resistance

Resists heat efficiently for use in kitchen & dining spaces.



Superior stain resistance

Resists stains & stays new-looking for longer.




Extensive possibilities


Versatile & extensive format open doors to varied applications.



Resists UV rays

UV rays don't alter or damage the colour & form of the surfaces.





Authenticity Throughout the Body

The Venitto Collection is one of the most authentic fullbody collections from the house of Simpolo. The carefully colored clay chips are spread throughout the body, giving the Venitto designs an authentic terrazzo feel. This timeless collection is versatile and suitable for a wide range of applications.

Application Areas



Kitchen countertop

Shelves

Door and

window frame





Shower base





Airport areas














Malls and shops

Commercial


Residential areas





Venitto Collection


6 Colours



Sky Series




Soil Series



800x 1200x 3000mm 1800mm 15mm 15mm

The collection's colour palette is inspired by the serene hues of nature and designed to evoke timeless elegance in any interior. Each colour is carefully curated to harmonize with design elements, ensuring versatility and enduring beauty.

From the tranquil Morning colour—reminiscent of soft dawn light—to the deep Monsoon, Night captures the essence of starlit evenings, while Sand and Mud provide earthy tones, and the Beach brings a coastal vibe.




Billing Desk. **Venitto Night** Posh+ / 800x3000mm


Wall. **Venitto Night** Posh+ / 800x3000mm

Floor. **Venitto Morning** Polished / 1200x1800mm

Scan for Virtual








Venitto Collection

Billing Desk. **Venitto Night** / Posh+ / 800x3000mm

Wall. Venitto Night / Posh+ / 800x3000mm

Floor. Venitto Morning / Polished / 1200x1800mm










Application Area

Airport





Venitto Collection

Column. Venitto Night / Polished / 800x3000mm


Steps. Venitto Night / Posh+ / 800x3000mm

Floor 1. **Venitto Monsoon** / Posh+ / 1200x1800mm

Floor 2. Venitto Morning / Posh+ / 1200x1800mm

Table 1. Venitto Night / Posh+ / 800x3000mm

Table 2. Venitto Morning / Posh+ / 800x3000mm



Restaurant

Scan for Virtual









Venitto Collection

Tabletop. **Venitto Night** Polished / 800x3000mm

Floor 1. **Venitto Night** Posh+ / 1200x1800mm

Floor 2. **Venitto Monsoon** Posh+ / 1200x1800mm





Tabletop. **Venitto Night** Polished / 800x3000mm

Floor 1. **Venitto Night** Posh+ / 1200x1800mm

Floor 2. **Venitto Monsoon** Posh+ / 1200x1800mm

Application Area


Kitchen












Kitchen Island. **Venitto Sand** Polished / 800x3000mm

Tabletop. **Venitto Sand** Polished / 800x3000mm

Countertop. **Venitto Sand** Polished / 800x3000mm

Backsplash. **Venitto Sand** Polished / 800x3000mm

Floor. **Venitto Mud** Posh+ / 1200x1800mm



Kitchen Island. **Venitto Sand** Polished / 800x3000mm

Tabletop. **Venitto Sand** Polished / 800x3000mm

Countertop. **Venitto Sand** Polished / 800x3000mm

Backsplash. **Venitto Sand** Polished / 800x3000mm

Floor. **Venitto Mud** Posh+ / 1200x1800mm 30\31



Scan for Virtual





Reception Desk. **Venitto Mud** Polished / 800x3000mm

> Coffee Table. **Venitto Mud** Polished / 800x3000mm

Wall. **Venitto Mud** Polished / 800x3000mm

Floor. **Venitto Beach** Posh+ / 1200x1800mm

Venitto Collection



Reception Desk. **Venitto Mud** / Polished / 800x3000mm

Coffee Table. Venitto Mud / Polished / 800x3000mm

Wall. Venitto Mud / Polished / 800x3000mm


Floor. Venitto Beach / Posh+ / 1200x1800mm




Metro Station











Venitto Collection

Floor 1. **Venitto Mud** Polished / 1200x1800mm

Floor 2. **Venitto Sand** Polished / 800x3000mm

Venitto Collection





Floor 1. **Venitto Mud** / Polished / 1200x1800mm

Floor 2. Venitto Sand / Polished / 800x3000mm



Sky Series


Venitto Morning





800x3000mm, 15mm

1200x1800mm, 15mm



Surfaces Polished Posh+

Body FullBody

Thickness 15mm



Sky Series


Venitto Monsoon





800x3000mm, 15mm


1200x1800mm, 15mm



Surfaces Polished Posh+

Body FullBody


Thickness 15mm



Sky Series

Venitto Night





800x3000mm, 15mm

1200x1800mm, 15mm



Surfaces Polished Posh+

Body FullBody

Thickness 15mm



Soil Series

Venitto Sand



800x3000mm, 15mm

1200x1800mm, 15mm



Surfaces Polished Posh+


Body FullBody

Thickness 15mm



Soil Series

Venitto Beach





800x3000mm, 15mm


1200x1800mm, 15mm



Surfaces Polished Posh+


Body FullBody

Thickness 15mm




Soil Series

Venitto Mud



800x3000mm, 15mm

1200x1800mm, 15mm



Surfaces Polished Posh+

Body FullBody

Thickness 15mm

Technical

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	METHOD OF TESTING	MEAN VALUE OF SIMPOLO	
Regulatory Properties ——————					
*Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	ISO 10545-2/ IS 13630-1	±1.0 mm (±0.20 %)	
*Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	ISO 10545-2/ IS 13630-1	±0.5 mm (±5.0 %)	
*Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	ISO 10545-2/ IS 13630-1	±0.8 mm(±0.20 %)	
*Rectangularity	±0.30 % (±1.50 mm)	±0.10%	ISO 10545-2/ IS 13630-1	±1.2 mm(±0.20 %)	
*Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±1.8 mm(±0.20 %)	
*Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±1.8 mm(±0.20 %)	
*Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/ IS 13630-1	±1.8 mm(±0.20 %)	
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1	>95% defects free	
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ISO 10545-16	ΔE <0.80	
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	≥ 90	
Structural Properties —————					
Water Absorption	Ev≤0.50 % Individual Max:0.6%	Ev≤0.08 % Individual Max:0.1%	ISO 10545-3/ IS 13630-2	Ev≤0.08 % Individual Max:0.1%	
Bulk Density	As per Manufacturer	Min 2.20 g/cc	ISO 10545-3/ IS 13630-2	> 2.28 gm/cc	
Massive Mechanical Properties ——					
Modulus of Rupture	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4/ IS 13630-6	Min. 40.0 N/mm ²	
Breaking Strength Thickness <7.5 mm (5.5 mm)	Min. 35.0 N/mm ²	ISO 10545-4	ISO 10545-4/ IS 13630-6	Min 1000.0 N	
Breaking Strength Thickness >7.5 mm (9 mm)	Min 1000.0 N	ISO 10545-4	ISO 10545-4/ IS 13630-6	Min 2000.0 N	
Breaking Strength Thickness >7.5 mm (15 mm)	Min 1300.0 N	ISO 10545-4	ISO 10545-4/ IS 13630-6	Min 6000.0 N	
Surface Mechanical Properties ——					
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/ IS 13630-13	Posh+:Min 6 ,Mat:Min 6 & Polished: Min 4	
Surface Abrasion Resistance (PEI) #	As per Manufacturer	Min. Class II	ISO 10545-7/ IS 13630-11	Posh+: Class V+	
Deep Abrasion Resistance #	Max. 175 mm³	Max. 140 mm³	ISO 10545-6/ IS 13630-12	Max 132 mm³	
Thermal Hygrometric Properties ——					
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	ISO 10545-10/ IS 13630-3	Max 0.02 mm/m	
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 ⁻⁶	ISO 10545-8/ IS 13630-4	Max. 6.0 x 10 ⁻⁶	
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5	Min 10 Cycle	
mpact Resistance(COR) #	Min. 0.55	Min 0.55	ISO 10545-5/ IS 13630-14		
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/ IS 13630-10	Frost Proof	
Chemical Properties ————————————————————————————————————					
Resistance to Staining Unglazed Resistance to Household Chemicals &	As per Manufacturer Min Class UB	Min Class 2 As per Manufacturer	ISO 10545-14/ IS 13630-8 ISO 10545-13/ IS 13630-7	Min. Class 4/Min. Class 2 Min Class UB/	
Swimming Pool Salts Unglazed Resistance to Low Concentrate Acid and Alkalis Unglazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-7	Min Class A Min Class ULB***/ Min Class A***	
Resistance to High Concentrate Acid and Alkalis Unglazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/ IS 13630-7	Min Class A Min Class UHB***/ Min Class A***	
Safety Properties —				=.===	
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	ASTM E-303	Posh+: >0.3, Mat: > 0.3 & Polished: <0.2	
Slip Resistance -Satin/ Matt (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	DIN 51130	Posh+: R9, Mat: R9 & Polished: NA	
_ead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb &Cd	

Packing Detail

PRODUCT	ACTULE SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX		
Venitto	800x3000mm	15mm	1 pc	2.40 m²	25.83 ft²	
Collection	1200x1800mm	15mm	1 pc	2.16 m²	23.25 ft²	


^{*} Whichever is Lower

** With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of trafic)

*** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor. Posh+: PEI V+ (1,20,000 Rev)

For Floor tiles,as per customer requirement





Simpolo Vitrified Private Limited

Old Ghuntu Road, Morbi - 363 642 Gujarat, INDIA

Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.

Tele.: +91 22401 67131, E-mail: mumbai@simpolo.net

AHMEDABAD

1st Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.

Mob.: +91 79400 37222, +91 79400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H - 139, First Floor, Sector - 63, Noida - 201 301, Uttar Pradesh.

Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.

Mob.: +91 93493 39938, Fax: +91 48440 37118, E-mail: cochin@simpolo.net

KOLKATA

5th Floor, DD-27, Salt Lake City, Sector 1, Near Salt Lake City Center, Kolkata - 700 064. (W.B.)

Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

CHENNAI

5th Floor, Prashanth Gold Tower, No. 39, North Usman Road, T. Nagar, Chennai - 600 017.

Mob.: +91 9925251848, E-mail: chennai@simpolo.net

LUCKNOW

Aditya Tower, 1st Floor, CP-8 Vijyant Khand, Gomati Nagar, Lucknow - 226010.

Mob.: +91 97252 79749, E-mail: lucknow@simpolo.net

BENGALURU

2th Floor, 15th Cross Road, Outer Ring Rd, 5th Phase, J. P. Nagar, Bengaluru, Karnataka - 560078.

Mob.: +91 9909418222, E-mail: Bengaluru@simpolo.net

www.simpolo.net | Toll Free No.: 1800-233-2223

Mob.: +91 72289 22222